











©2014 Acoustic Ceiling Products, L.L.C. PO Box 1581 Appleton, WI 54912-1581 800.434.3750 Fax 800.434.3751 acpideas.com

Presentation in this brochure or any other ACP publication is correct to the best of our knowledge at the time of publication. We provide this information in an advisory capacity only. Any advisory recommendations given in our publication must be modified to conform with local codes, conditions and specifications.

Always consult current manufacturer data sheet.

Acoustic Ceiling Products, L.L.C. is a member of C.I.S.C.A., C.S.I., and N.H.B.A.

Genesis™.CeilingMax®, GridMax®, HG-Grid® are trademarks of ACP. ACP #B02-98 (02.14 REV-6.1)

CONTENTS

Genesis pages 04-13

Genesis Accessories pages 14-15

HG-Grid pages 16-19

GridMAX pages 20-23

CeilingMAX pages 24-29

Grid Colors page 30



Your Last Ceiling Panel

Sag proof due to moisture

Class "A" fire-rated

Mold- and mildew-resistant


Dust free, non-shedding material

Will not spot, stain, rot, swell or peel due to moisture

Impact-resistant

2' x 2' and 2' x 4' size panels

Installs in any existing or new grid system









(b)

Genesis tiles are perfect for food processing plants, healthcare and education facilities, commercial kitchens, science and pharmaceutical labs, high-humidity climates, clean rooms and marine applications.

Surface Burning Characteristics ASTM E 84 Class "A" fire-rated — Flame and Smoke

Safety

Approved for food manufacturing/processing

Durability

Resists rust, corrosion, water, mold, mildew, bacteria

Material

Virgin-grade PVC vinyl

Compatibility

Works with most standard 15/16" grid systems

Warranty

25-year limited warranty

(a) Before (b) After — Printed Pro



Genesis

Product Specifications

	Genesis	Vinyl Clad	Mineral Board
100% Waterproof	•		
Resists Mold & Mildew	•		*
Washable	•		
Class "A" Fire Rating	•	•	*
Easy to Cut	•		•
Fiberglass Free	•	•	*
USDA Compliant	•	•	
Durable	•	•	
Stain Resistant	•	•	
Indoor/Outdoor Applications	•	•	
UV Stable	•		
Acoustical			•





[★]Only if specified



Multiple styles for multiple applications





Smooth Pro

The simple, clean aesthetics of this style has a modern, sophisticated appeal. Its high light reflectance is suitable for indirect lighting applications.

Printed Pro

This style's replicated texture finish combines beauty and high durability. Its enhanced light reflectance and diffusion complements exceptional aesthetics.

Classic Pro

This European-inspired design offers a unique aesthetic appeal. Its sculpted pattern controls light reflectance.

4 Stucco Pro & 5 Stucco Pro Revealed Edge

This style offers an upscale sandstone look with an optional revealed edge. Its lightly textured surface provides attractive finish with excellent light reflectance and durability.

6 Contour Pro

The ribbed texture of this style complements any décor while minimizing light reflectance. The sculpted form and revealed edge creates a three dimensional design which extends beyond the grid to create a visually spacious interior.




Genesis

Maintenance-Free Ceiling Solution

	Item description	Item #	Dimensions
	item description	item #	Difficiations
1	2' x 2' Smooth Pro	740-XX (12 per case)	23 ¾" x 23 ¾" x 5⁄32"
	2' x 4' Smooth Pro	745-XX (10 per case)	23 ¾" x 47 ¾" x ¾16"
2	2' x 2' Printed Pro*	741-00 (12 per case)	23 ¾" x 23 ¾" x 5/32"
	2' x 4' Printed Pro*	746-00 (10 per case)	23 ¾" x 47 ¾" x ¾16"
3	2' x 2' Classic Pro*	750-00 (12 per case)	23 ¾" x 23 ¾" x 5/32"
	2' x 4' Classic Pro*	755-00 (10 per case)	23 ¾" x 47 ¾" x ¾16"
4	2' x 2' Stucco Pro	760-XX (12 per case)	23 ¾" x 23 ¾" x 5/32"
	2' x 4' Stucco Pro	765-XX (10 per case)	23 ¾" x 47 ¾" x ¾16"
5	2' x 2' Stucco Pro Revealed Edge	770-XX (12 per case)	23 ¾" x 23 ¾" x 5⁄32"
6	2' x 2' Contour Pro Revealed Edge*	780-00 (12 per box)	23 ¾" x 23 ¾" x 5⁄32"





(a) Classic Pro (b) Stucco Pro Revealed Edge

For "XX": White is "00", Black is "07" *Only available in White



Versatility and elegance — whatever your style





1 Icon Relief

This style features a carved geometric design that adds depth and style to any ceiling. These panels are perfect for libraries, conference rooms, hotels and resorts.

2 Icon Coffer

This style is designed to provide the look of a classic coffer ceiling. The geometric design features a high-end appeal that's employed in restaurants, conference rooms and office spaces.

3 Antique

This European-inspired design resembles a popular turn-of-the-century pattern found in metal stamped ceilings from the late 19th and early 20th centuries. The time-honored design is perfect for any historic motif.

4 Drifts

This style features undulating patterns that convey movement and rhythm. This dynamic, modern style is a great fit for retail stores, conference rooms, healthcare facilities and lobbies.

(a) Icon Coffer (b) Antique



Genesis

Designer Series

Item description	Item #	Dimensions
2' x 2' lcon Relief	754-XX (12 per case)	23 ¾" x 23 ¾" x 5⁄32"
2' x 2' Icon Coffer	753-XX (12 per case)	23 ¾" x 23 ¾" x 5⁄32"
2' x 2' Antique	752-XX (12 per case)	23 ¾" x 23 ¾" x 5⁄32"
2' x 2' Drifts	751-XX (12 per case)	23 ¾" x 23 ¾" x 5⁄32"

Supplementary Installation Components:

2' x 2' Designer Series Border Tile*	756-00 (12 per case)	23 ¾" x 23 ¾" x 5⁄32"
Revealed Edge Border Trim Kit	700-99 (White) 701-99 (Black) (25 per case)	23 ³ / ₁₆ " x ¹ / ₃ " x ⁵ / ₈ "
Hold-down Clip (Black)	799-00 (50 per box)	





- (a) Revealed Edge Border Trim
- (b) Hold-down Clip

For "XX": White is "00", Black is "07" *Only available in White

Genesis Standard Series



Smooth Pro (White)



Smooth Pro (Black)



Printed Pro



Classic Pro



Stucco Pro (White)



Stucco Pro (Black)



Stucco Pro Revealed Edge (White)



Stucco Pro Revealed Edge (Black)



Contour Revealed Edge

Genesis Designer Series









Icon Relief (White)

Icon Relief (Black)

Icon Coffer (White)

Icon Coffer (Black)









Antique (White)

Antique (Black)

Drifts (White)

Drifts (Black)



Designer Series Border Tile



Genesis

Ceiling Solution Accessories

Genesis Ceiling Solution air diffusers, returns, and other accessories are made of rigid, high-performance vinyl that is engineered for strength and durability.

	Item description	Item #	Dimensions
0	Round-Pipe Fitted Diffuser 2' x 2' – 8" collar	273-XX	24" x 24"
	Round-Pipe Fitted Diffuser 2' x $2' - 10''$ collar	280-XX	24" x 24"
	Round-Pipe Fitted Diffuser 2' x $2' - 12''$ collar	281-XX	24" x 24"
2	Round Lay-In Diffuser 2' x 2' - 8" collar	201-XX	24" x 24"
	Round Lay-In Diffuser 2' x 2'- 10" collar	202-XX	24" x 24"
	Round Lay-In Diffuser 2' x 2' – 12" collar	203-XX	24" x 24"
_			
3	Perforated Sheet (White)	267-00	24" x 24"
	Universal Collar (Black)	268-07	






Round-Pipe Fitted Diffuser





Round Lay-In Diffuser



Perforated Sheet

	Item description	Item #	Dimensions	
4	Air Diffuser 2' x 2' – 6" collar	254-XX	24" x 24"	
	Air Diffuser 2' x 2' – 8" collar	257-XX	24" x 24"	
	Air Diffuser 2' x 2' – 10" collar	258-XX	24" x 24"	4
	Air Diffuser 2' x 2' – 12" collar	251-XX	24" x 24"	Air Diffuser
	Air Diffuser 2' x 2' – 14" collar	252-XX	24" x 24"	
	Air Diffuser 2' x 2' – 16" collar	271-XX	24" x 24"	
	Air Diffuser 2' x 2' – 18" collar	272-XX	24" x 24"	
	Air Diffuser – universal collar	259-XX	24" x 24"	5
G	Air Return 2' x 2' – 6" collar	260-XX	24" x 24"	Air Return
•				
	Air Return 2' x 2' – 8" collar	261-XX	24" x 24"	
	Air Return 2' x 2'- 10" collar Air Return 2' x 2' - 12" collar	262-XX 263-XX	24" x 24" 24" x 24"	
	Air Return 2' x 2' – 14" collar	264-XX	24 x 24 24" x 24"	6
	Air Return 2' x 2' – 16" collar	269-XX	24" x 24"	Air Diffuser/ Return Combo
	Air Return 2' x 2' – 18" collar	270-XX	24" x 24"	
	Air Return – no collar	265-XX	24" x 24"	
	Air Return – universal collar	266-XX	24" x 24"	7
	7 iii Notain anivorsai sonai	200 700	LI XLI	Air Deflector
6	Air Diffuser/Return 2' x 2' – 6" collar	275-XX	24" x 24"	All Deficetor
	Air Diffuser/Return 2' x 2' – 8" collar	276-XX	24" x 24"	
	Air Diffuser/Return 2' x 2' $-$ 10" collar	277-XX	24" x 24"	
	Air Diffuser/Return 2' x 2' - 12" collar	278-XX	24" x 24"	8
	Air Diffuser/Return 2' x 2' - 14" collar	274-XX	24" x 24"	Air Diverter
	Air Diffuser/Return – universal collar	284-XX	24" x 24"	
7	Air Deflector 2' x 2'	200-XX	24" x 24"	
8	Air Diverter	204-XX	24" x 24"	9
9	Corner Diverter	279-XX	24" x 24"	Corner Diverter
		• ///	_ · · · • ·	OUTTO DIVERSE


Note: All air returns include pleated air filter

For "XX": White is "00", Black is "07"



Vinyl Suspension System

Engineered for high-humidity or corrosive environments
Eliminates rust and white corrosion
Costs less than most corrosion-resistant grids
High-grade PVC vinyl eliminates damage and scratches during installation and transportation
Available in a wide range of colors and finishes
Quick-lock keyhole system offers easy installation
Works with most standard 2' x 2' or 2' x 4' acoustical ceiling tile designed for 15/16" grid







HG-Grid is a a high-performance vinyl grid system engineered for humid conditions. HG-Grid installs like conventional metal grid, but at a fraction of the cost of other corrosion-resistant grid systems.

Surface Burning Characteristics

ASTM E 84 Class "A" fire-rated — Flame and Smoke

V.O. rating under U.L. 94

Load

Intermediate duty (12 lbs per sq ft)

(Load rating per ASTM E C 635 using 2' hanger spacing)

Safety

Approved for food manufacturing/processing

Durability

Rust and corrosion resistant

Material

White and solid colors: virgin-grade vinyl

Metallic finishes: virgin-grade vinyl with hot foil laminate


Compatibility

Works with most standard 2' x 2' or 2' x 4' tile

designed for 15/16" grid

Warranty

25-year limited warranty





HG-Grid

Product Specifications

Item description	Item #	Dimensions
8' Main intermediate duty Main Connector	312 (connector included)	96" x ¹⁵ /16" x 2"
3 2' Tee	320	23" x ¹⁵ / ₁₆ " x 1½"
4 8' Angle Molding	350	96" x ¹⁵ / ₁₆ " x ¹⁵ / ₁₆ "
5 Hold-down Clip	300	















(a) Angle molding (b) Hold-down Clip



Ceiling Grid Covers

Will not rust or show scratches

Simple, one-person installation

Available in a wide range of colors and finishes

Works on 2' x 2' or 2' x 4' ceiling grid systems

Pre-notched main covers provide seamless transitions at cross tee intersections

Components are factory-cut to standard grid dimensions

Eliminates costly facility downtime for demolition and replacement





An easy, low-cost alternative to ceiling grid replacement



Moonstone Copper Finish

GridMAX is the low-cost alternative to replacing or repainting rusted, stained or deteriorated metal grid. These high-grade vinyl covers easily install over existing metal grid, changing the look of a room at a fraction of the cost of other refurbishment solutions.

Surface Burning Characteristics

ASTM E 84 Class "A" fire-rated — Flame and Smoke

V.O. rating under U.L. 94

Safety

Approved for food manufacturing/processing

Durability

Rust and corrosion resistant

Material

White and solid colors: virgin-grade vinyl

Metallic finishes: virgin-grade vinyl with hot foil laminate

Compatibility

Works with any Imperial or Metric grid systems. May not be compatible with certain shadow-line tile types (consult manufacturer for specifications)

Warranty

25-year limited warranty



GridMAX

Product Specifications

Grid face	Item #	Description	Dimensions
15/16" & 1"	250	4' Wall Molding Cover	48" x 1" x 1/8"
2 ¹⁵ / ₁₆ "	230	4' Tee Cover	47" x 1" x 1/8"
1"	232	4' Tee Cover	47" x 11/8" x 1/8"
3 ¹⁵ / ₁₆ "	210	4' Main Cover	48" x 1" x 1/8"
1"	212	4' Main Cover	48" x 11/8" x 1/8"
4 15/16"	220	2' Tee Cover	23" x 1" x ½"
1"	222	2' Tee Cover	23" x 1½" x ½"

1" available in White only

Note: Revealed-edge tiles require minimum of %" lip for proper fit with GridMAX grid covers Main covers are notched for ease of installation










Surface Mount Grid System


High-grade PVC vinyl	
No wires to hang or time-consuming leveling	
Available in a wide range of colors and finishes	
"Snap-In" technology makes installation simple and ea	ısy
"Snap-Out" technology provides ability to access the plenum or to replace tiles at any time	
Works with most standard 2' x 2' or 2' x 4' acoustica ceiling tile up to 3/4" thick, designed for 15/16" grid	.I
Eliminates rust and scratches without demolition, cost, mess or downtime	





With its surface mount application, CeilingMAX quickly and easily covers old 12" x 12" tile ceilings, floor joists, plaster or drywall. Using "snap-in" technology, CeilingMAX works with most standard 2' x 2' or 2' x 4' tile designed for $^{15}/_{16}$ " grid.





Easily renovate old ceilings with durable high-grade vinyl



CeilingMAX is perfect for direct applications over plaster, joists, drywall and paste-up ceilings. Surface-mounted grid system saves up to 6" of ceiling height.

Surface Burning Characteristics

ASTM E 84 Class "A" fire-rated — Flame and Smoke

V.O. rating under U.L. 94

Load

Intermediate duty (12 lbs per sq ft)

Safety

Approved for food manufacturing/processing

Durability

Rust and corrosion resistant

Material

White and solid colors: virgin-grade vinyl

Metallic finishes: virgin-grade vinyl with hot foil laminate

Compatibility

Works with most standard 2' x 2' or 2' x 4' tile that are designed for 15/16" grid (3/4" maximum tile depth)

Warranty

25-year limited warranty



CeilingMAX


Product Specifications


Item description	Item #	Dimensions
1 Top Hanger	109 - white	96" x 1½" x ½"
2 Runner	119 - white / 110 - color	96" x ¹⁵ /16" x ¹⁵ /16"
3 Wall Bracket	159 - white / 150 - color	96" x ¹⁵ / ₁₆ " x 1 ³ / ₁₆ "
4 Cross Tee	129 - white / 120 - color	23" x ¹⁵ /16" x ¹⁵ /16"
25" Tee*	121 - white	25" x ¹⁵ /16" x ¹⁵ /16"



Cross Tee joint

*The 25" cross tee is used when installation is started at the room's edge with a full border tile. This occurs only when a room's dimensions are exactly divisible by 2 (e.g., 12', 28', etc.)







Grid Colors & Finishes

Our grid systems and grid covers are available in White (#00) as well as a variety of colors and patina finishes.

